



Piede scatolato
Boxed foot




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-01 | 1000 | 800 | 650 | 130 | 65 | 800 |
| SL-05 | 1000 | 800 | 500 | 130 | 65 | 800 |
| SL-08 | 1000 | 800 | 400 | 130 | 65 | 800 |
| SL-076 | 1200 | 800 | 650 | 130 | 65 | 800 |

Piede scatolato - Porta in rete
Boxed foot - Mesh door




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-02 | 1000 | 800 | 650 | 130 | 65 | 800 |
| SL-07 | 1000 | 800 | 500 | 130 | 65 | 800 |
| SL-077 | 1200 | 800 | 650 | 130 | 65 | 800 |

Piede scatolato - Porta in lamiera
Boxed foot - Sheet-metal door




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-03 | 1000 | 800 | 650 | 130 | 65 | 800 |
| SL-06 | 1000 | 800 | 500 | 130 | 65 | 800 |
| SL-078 | 1200 | 800 | 650 | 130 | 65 | 800 |

Con slitta
With skid




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|------|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-025 | 1000 | 800 | 650 | 130 | 65 | 1000 |
| SL-021 | 1000 | 800 | 500 | 130 | 65 | 1000 |
| SL-027 | 1200 | 800 | 650 | 130 | 65 | 1000 |
| SL-079 | 1200 | 1000 | 650 | 130 | 65 | 1000 |

Con slitta - Porta in rete
With skid - Mesh door




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|------|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-023 | 1000 | 800 | 650 | 130 | 65 | 1000 |
| SL-019 | 1000 | 800 | 500 | 130 | 65 | 1000 |
| SL-029 | 1200 | 800 | 650 | 130 | 65 | 1000 |
| SL-080 | 1200 | 1000 | 650 | 130 | 65 | 1000 |

Con slitta - Porta in lamiera
With skid - Sheet-metal door





| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|------|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-024 | 1000 | 800 | 650 | 130 | 65 | 1000 |
| SL-020 | 1000 | 800 | 500 | 130 | 65 | 1000 |
| SL-028 | 1200 | 800 | 650 | 130 | 65 | 1000 |
| SL-081 | 1200 | 1000 | 650 | 130 | 65 | 1000 |

Triangular foot - Strengthening frame on bottom - Sheet-metal door




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-04 | 1000 | 800 | 600 | 120 | 65 | 1000 |

Con slitta - Telaio di rinforzo sul fondo
With skid - Strengthening frame on bottom




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-022 | 1000 | 800 | 600 | 130 | 65 | 1000 |

A bocca di lupo
Raking mouth




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-018 | 1000 | 800 | 500 | 130 | 65 | 1000 |
| SL-083 | 1000 | 800 | 650 | 130 | 65 | 1000 |
| SL-084 | 1200 | 800 | 650 | 130 | 65 | 1000 |

Serie pesante
Heavy series




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|-----|---------------------------|
| | A | B | C | D | E | |
| SL-033-M | 1000 | 800 | 400 | 150 | 110 | 1500 |
| SL-033-P | 1000 | 800 | 400 | 150 | 110 | 2000 |
| SL-085-M | 1200 | 800 | 400 | 150 | 110 | 1500 |
| SL-085-P | 1200 | 800 | 400 | 150 | 110 | 2000 |

Serie pesante
Heavy series




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|------|-----|-----|-----|---------------------------|
| | A | B | C | D | E | |
| SL-032-M | 1000 | 800 | 650 | 150 | 110 | 1500 |
| SL-032-P | 1000 | 800 | 650 | 150 | 110 | 2000 |
| SL-086 | 1000 | 800 | 520 | 150 | 110 | 1500 |
| SL-031-M | 1200 | 800 | 650 | 150 | 110 | 1500 |
| SL-031-P | 1200 | 800 | 650 | 150 | 110 | 2000 |
| SL-087 | 1200 | 1000 | 650 | 150 | 110 | 1500 |
| SL-088 | 1300 | 1000 | 700 | 150 | 110 | 1500 |

Serie pesante
Heavy series




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|------|-----|-----|-----|---------------------------|
| | A | B | C | D | E | |
| SL-030-M | 1500 | 800 | 650 | 150 | 110 | 1500 |
| SL-030-P | 1500 | 800 | 650 | 150 | 110 | 2000 |
| SL-089-M | 1500 | 1000 | 650 | 150 | 110 | 1500 |
| SL-089-P | 1500 | 1000 | 650 | 150 | 110 | 2000 |


Serie pesante
Heavy series




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|------|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-407-M | 1100 | 725 | 600 | 100 | 80 | 1500 |
| SL-407-P | 1100 | 725 | 600 | 100 | 80 | 2000 |
| SL-406-M | 1450 | 1100 | 600 | 100 | 80 | 1500 |
| SL-406-P | 1450 | 1100 | 600 | 100 | 80 | 2000 |



| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-1/4 | 800 | 460 | 400 | 150 | 65 | 800 |




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-1/8 | 655 | 335 | 230 | 100 | 50 | 400 |



Con piede - Porta in lamiera
With foot - Sheet-metal door




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-012 | 800 | 500 | 500 | 130 | 65 | 600 |



Con piede - Porta in rete
With foot - Mesh door



| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-013 | 800 | 500 | 500 | 130 | 65 | 600 |




Con piede
With foot




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-09 | 800 | 600 | 500 | 130 | 65 | 600 |
| SL-010 | 800 | 600 | 400 | 130 | 65 | 600 |
| SL-090 | 800 | 500 | 500 | 130 | 65 | 600 |

Slitta lato lungo
Skid long side




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-014 | 800 | 500 | 500 | 130 | 65 | 800 |
| SL-015 | 800 | 600 | 400 | 130 | 65 | 800 |
| SL-016 | 800 | 600 | 500 | 130 | 65 | 800 |

Slitta lato corto
Skid short side




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-001 | 800 | 500 | 500 | 130 | 65 | 700 |
| SL-002 | 800 | 600 | 400 | 130 | 65 | 700 |
| SL-003 | 800 | 600 | 500 | 130 | 65 | 700 |
| SL-082 | 700 | 650 | 450 | 150 | 65 | 700 |

Slitta lato corto - Parete 3/4
Skid short side - Wall 3/4




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-004 | 800 | 500 | 500 | 130 | 65 | 700 |
| SL-005 | 800 | 600 | 400 | 130 | 65 | 700 |
| SL-006 | 800 | 600 | 500 | 130 | 65 | 700 |
| SL-026 | 1000 | 800 | 450 | 130 | 70 | 1000 |

A bocca di lupo
Raking mouth




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-011 | 800 | 600 | 400 | 130 | 65 | 600 |

A bocca di lupo
Raking mouth





| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|---|---------------------------|
| | A | B | C | D | E | |
| SL-130 | 800 | 500 | 500 | 100 | / | 1000 |

Divisorio mobile per Mod. SL-130
Mobile partition for SL-130 mod.




| Modello Model | Dimensioni • Dimensions | | | Portata kg Capacity kg |
|------------------|-------------------------|----|-----|---------------------------|
| | A | B | C | |
| SL-130-DIV | 630 | 50 | 425 | / |

Tramoggia con porta a ghigliottina e piano interno inclinato
 Hopper with guillotine gate and tilted internal surface




| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-097 | 800 | 600 | 500 | 130 | 65 | 700 |

Serie pesante - Porta lato corto
 Heavy series - Door short side



| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|-----|---------------------------|
| | A | B | C | D | E | |
| SL-098 | 1000 | 800 | 650 | 150 | 110 | 1500 |
| SL-099 | 1200 | 800 | 650 | 150 | 110 | 1500 |

Pareti in lamiera liscia, nessun bordo interno,
 per facilitare lo scarico del materiale
 Walls in plain sheet, no inside edge, to facilitate
 unloading of the material



| Modello Model | Dimensioni • Dimensions | | | | | Portata kg Capacity kg |
|------------------|-------------------------|-----|-----|-----|----|---------------------------|
| | A | B | C | D | E | |
| SL-191 | 800 | 500 | 400 | 150 | 40 | 1000 |